

# Insta-Bond - Clear

Page 1 of 8  
Issued: 25/10/2019, Revision No: 1  
Regulation (EC) No. 453/2010

## 1. IDENTIFICATION OF SUBSTANCE / MIXTURE OF THE COMPANY / UNDERTAKING

### 1.1 Product Identifier

Material name: Insta-Bond Clear

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Sealant

### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier: IMG Ltd.,  
Unit M  
Riverside Industrial Estate  
Fazeley  
Tamworth  
B78 3RW

Telephone: 01827 283322

Fax: 01827 250143

Email (for SDS): sales@img-limited.co.uk

### 1.4 Emergency tel. no: 01827 283322 (Available from 8.30 – 17.00 hours)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

According to 1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation:

Physical and Chemical hazards Not classified

Human Health Not classified

Environment Not classified

### 2.2 Label elements

Label according to EC Directives: 1272/2008/EC:

Signal word: None required.

Pictogram(s): None required.

Hazard Statements: None required.

Precautionary Statements: None required.

Supplemental Statements: EUH210 Safety data sheet available on request.

# Insta-Bond - Clear

Page 2 of 8

Issued: 25/10/2019, Revision No: 1

Regulation (EC) No. 453/2010

**Other hazards:** Methanol may be produced if the product comes into contact with water. The product does not contain any vPvB or PBT substances.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

#### Hazardous components:

Chemical Name	CAS.No/ EC No./ Reg.No	Classification (1272/2008/EC)	Content
Trimethoxyvinylsilane	CAS: 2768-02-7 EC: 220-449-8 REACH: 01-2119513215-52-XXXX	Flam.Liq.3; H226 Acute Tox.4; H332	0.5-5%
3- (Trimethoxysilyl)propylamine	CAS: 13822-56-5 EC: 237-511-5 REACH: 01-2119510159-45-XXXX	Skin Irr.2; H315 Eye Dam.1; H318	1-<3%

Ingredients comment: also contains the following substances with a WEL (Section 8): Silica (amorphous).

See Section 16 for the full text of the H statements declared above.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice:** Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

**Eye contact:** Immediately flush eyes with plenty of water. Check for and remove any contact lenses. Get medical attention should symptoms persist.

**Inhalation:** No undue effects in normal circumstances, if affected, remove from fresh air and seek medical advice.

**Skin contact:** Wipe off residual product carefully with a soft, dry cloth. Remove affected clothing immediately, wash skin thoroughly with plenty of soap and water. In case of irritation, seek medical attention.

**Ingestion:** Rinse mouth with thoroughly with water. Do not induce vomiting and give water to drink. Seek medical advice immediately.

**4.2 Most important symptoms and effects, both acute and delayed:** Irritation of the eyes and skin may occur. May be irritating to respiratory system.

**4.3 Indication of any immediate medical attention and special treatment needed:** See skin and eye contact information above.

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media:** Product is non-flammable; use appropriate extinguishing media for the surrounding area. Alcohol-resistant foam, carbon dioxide, powders, water.

**Unsuitable extinguishing media:** None known.

# Insta-Bond - Clear

Page 3 of 8  
Issued: 25/10/2019, Revision No: 1  
Regulation (EC) No. 453/2010

## 5.2 Special hazards arising from the substance or mixture

Decomposition products may include: carbon monoxide, carbon dioxide, toxic gases.

## 5.3 Advice for fire-fighters

Standard procedure for chemical fires. Use water spray to cool unopened containers. Do not allow fire run-off to enter drains.

## Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Provide adequate ventilation. Refer to section 8 for SDS for personal protection details.

### 6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not allow to enter drains or watercourses. If the product contaminates lakes, or sewers, inform the appropriate authorities in accordance with local regulations.

### 6.3 Methods and materials for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

### 6.4 Reference to other sections

See section 13 for additional waste treatment information.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Ensure that there is sufficient ventilation of the area, avoid contact with skin and eyes. Handle with care.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry, cool and well-ventilated area between 5°C and 25°C. Keep container tightly closed.

### 7.3 Specific end use(s)

Not available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Chemical Name	8hr TWA	15min STEL	Information	Reference
Methanol*	200 ppm 266 mg/m <sup>3</sup>	250 ppm 333 mg/m <sup>3</sup>	SK	EH40
Silica (amorphous)	6 mg/m <sup>3</sup> 2.4 mg/m <sup>3</sup>	No data available	Inhalable dust Respirable dust	EH40

# Insta-Bond - Clear

Page 4 of 8

Issued: 25/10/2019, Revision No: 1

Regulation (EC) No. 453/2010

\*Methanol may be formed upon contact with water or humid air.

\* SK denoted above means can be absorbed through skin.

## DNEL

Area of application	Exposure route	Trimethoxyvinylsilane	3-(trimethoxysilyl) propylamine	Methanol
Consumer	Inhalation – Long term local effects			50 mg/m <sup>3</sup>
Consumer	Inhalation – Short term systematic effects	93.4 mg/m <sup>3</sup>		50 mg/m <sup>3</sup>
Consumer	Inhalation – Long term systematic effects	1.04 mg/m <sup>3</sup>	17 mg/m <sup>3</sup>	50 mg/m <sup>3</sup>
Consumer	Dermal – Short term systematic effects	26.9 mg/kg/bw/day		8 mg/kg/bw/day
Consumer	Dermal – Long term systematic effects	0.3 mg/kg/bw/day	5 mg/kg/bw/day	8 mg/kg/bw/day
Consumer	Oral – Short term systematic effects			8 mg/kg/bw/day
Consumer	Oral – Long term systematic effects	0.3 mg/kg/bw/day	5 mg/kg/bw/day	8 mg/kg/bw/day
Workers/Employees	Inhalation – Short term local effects			260 mg/m <sup>3</sup>
Workers/Employees	Inhalation – Long term local effects			260 mg/m <sup>3</sup>
Workers/Employees	Inhalation – Short term systematic effects	4.9 mg/m <sup>3</sup>		260 mg/m <sup>3</sup>
Workers/Employees	Inhalation – Long term systematic effects	4.9 mg/m <sup>3</sup>	58 mg/m <sup>3</sup>	260 mg/m <sup>3</sup>
Workers/Employees	Dermal – Short term systematic effects	0.69 mg/kg/bw/day		40 mg/kg/bw/day
Workers/Employees	Dermal – Long term systematic effects	0.69 mg/kg/bw/day	8.3 mg/kg/bw/day	40 mg/kg/bw/day

## PNEC

Environment	Trimethoxyvinylsilane	3-(trimethoxysilyl) propylamine	Methanol
Fresh water	0.34 mg/l	0.33 mg/l	154 mg/l
Marine water	0.034 mg/l	0.033 mg/l	15.4 mg/l
Water-intermittent (sporadic) release	3.4 mg/l	3.3 mg/l	1540 mg/l
Dry sediment – fresh water	0.27 mg/kg	1.2 mg/kg	570.4 mg/kg
Dry sediment – marine water	0.12 mg/kg	0.12 mg/kg	57.04 mg/kg
Dry soil	0.046 mg/kg	0.045 mg/kg	23.5 mg/kg

## 8.2 Exposure controls

**Engineering measures:** Methanol may be formed upon contact with water or humid air; provide adequate ventilation to control exposure.

# Insta-Bond - Clear

Page 5 of 8

Issued: 25/10/2019, Revision No: 1

Regulation (EC) No. 453/2010

## Personal Protective Equipment

Hand protection:	Wear chemically resistant gloves such as butyl rubber approved to standard EN 374; material thickness 0.5mm; break through time $\geq$ 480 min. Gloves must be replaced after 8 hours of wear.
Eye protection:	Tightly fitting safety goggles or glasses conforming to European standard EN 166.
Skin protection:	Protective clothing.
Respiratory protection:	Use respiratory protection suitable for organic vapours/dust if exposed to fumes/particulates above the WELs.
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practices. Do not eat or drink whilst using the product. Wash hands before breaks and at the end of the work day. Wash contaminated clothing before re-use.

Environmental exposure controls: Do not discharge into drains or rivers.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>State and colour:</b>	Colourless, transparent paste.
<b>Odour:</b>	Characteristic, mild.
<b>Odour threshold:</b>	No data available.
<b>Flammability:</b>	No data available.
<b>Flash point:</b>	No data available.
<b>Lower explosion limit:</b>	No data available.
<b>Upper explosion limit:</b>	No data available.
<b>Explosive properties:</b>	No data available.
<b>Thermal decomposition:</b>	No data available.
<b>Auto-ignition temperature:</b>	No data available.
<b>Oxidising properties:</b>	No data available.
<b>Solubility in water:</b>	Insoluble.
<b>Solubility in other solvents:</b>	No data available.
<b>pH:</b>	No data available.
<b>Melting point / range:</b>	No data available.
<b>Boiling point / range:</b>	No data available.
<b>Relative Density:</b>	1.0-1.1
<b>Vapour pressure:</b>	No data available.
<b>Vapour density:</b>	No data available.
<b>Partition coefficient: n-octanol / water:</b>	No data available.
<b>Viscosity (kinematic):</b>	$> 7\text{mm}^2/\text{s}$ @ 40°C.
<b>Evaporation rate:</b>	No data available.

**9.2 Other information** No data available.

## 10. STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under recommended transport and storage conditions.
<b>10.2 Chemical stability</b>	Stable under recommended storage and handling conditions.
<b>10.3 Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>10.4 Conditions to avoid</b>	Extreme heat. Contamination with water.
<b>10.5 Incompatible materials</b>	Keep away from the following materials; oxidising agents, strong acids.
<b>10.6 Hazardous decomposition products</b>	May release methanol on contact with water.

# Insta-Bond - Clear

Page 6 of 8

Issued: 25/10/2019, Revision No: 1

Regulation (EC) No. 453/2010

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute Toxicity: Inhalation ATE, calculated: >20mg/l/4h

Chemical Name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Trimethoxyvinylsilane	7120 mg/kg (Rat)	16.8 mg/l 4h (Rat)	3540 mg/kg (Rabbit)
3-(trimethoxysilyl) propylamine	>2000 mg/kg (Rat)	No data available	>10000 mg/kg (Rabbit)
Methanol	ATE 300 mg/kg (Man)	85 mg/l 4h (Rat)	17100 mg/kg (Rabbit)
Silica (amorphous)	>5000 mg/kg (Rat)	>0.691 mg/l 4h (Rat)	>2000 mg/kg (Rat)

### Symptoms / routes of exposure

<b>Skin corrosion / irritation:</b>	Prolonged or repeated contact may cause irritation.
<b>Serious eye damage / irritation:</b>	May cause eye irritation.
<b>Respiratory or skin sensitisation:</b>	Not expected to cause sensitisation.
<b>Repeated dose toxicity:</b>	No data available.
<b>Carcinogenicity:</b>	No data available.
<b>Mutagenicity:</b>	Not mutagenic.
<b>Toxicity for reproduction:</b>	Not expected to impair fertility.
<b>Specific target organ toxicity (STOT):</b>	Inhalation of vapours may cause respiratory irritation.
<b>Further information:</b>	The product as a whole is unlikely to cause any significant adverse effects, particularly when the advice in Sections 7 and 8 are followed.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Chemical Name	Species	Test	Value
Trimethoxyvinylsilane	Daphnia	48h EC50	168.7 mg/l
	Fish (Rainbow trout)	96h LC50	191 mg/l
	Aquatic plants	EC50/LC50	>100 mg/l
3-(trimethoxysilyl) propylamine	Daphnia	48h EC50	331 mg/l
	Fish	96h LC50	>934 mg/l
	Aquatic plants	EC50/LC50	>1000 mg/l
Methanol	Daphnia	48h EC50	>10000 mg/l
	Fish	96h LC50	15400 mg/l
	Aquatic plants	-	No data available
Silica (amorphous)	Daphnia	-	No data available
	Fish	96h LC50	>10000 mg/l
	Aquatic plants	-	No data available

### 12.2 Persistence and degradability

No data available.

### 12.3 Bioaccumulative potential

Low bioaccumulation potential.

### 12.4 Mobility in soil

Insoluble in water.

### 12.5 Results of PBT and vPvB assessment

This product is not identified as a PBT/vPvB substance.

### 12.6 Other adverse effects

No data available.

# Insta-Bond - Clear

Page 7 of 8  
Issued: 25/10/2019, Revision No: 1  
Regulation (EC) No. 453/2010

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of in accordance with local/national regulations. Do not allow to enter drains or watercourses. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

## 14. TRANSPORT INFORMATION

<b>14.1 UN number</b>	ADR/RID/AND; IMDG; ICAO	Not regulated.
<b>14.2 UN Proper shipping name</b>	Not applicable	
<b>14.3 Transport hazard class(es)</b>	ADR/RID/ADN Class	Not applicable
	ADR/RID/ADN Class	Not applicable
	ADR Label No.	Not applicable
	IMDG Class	Not applicable
	ICAO Class/Division	Not applicable
	ICAO Subsidiary Risk	Not applicable

### Transport labels

	ADR/RID/IDMG	Not applicable
	IATA	Not applicable
<b>14.4 Packing group</b>	ADR/RID/AND; IMDG; ICAO	Not applicable
<b>14.5 Environmental hazards</b>	No	
<b>14.6 Special precautions for user</b>	Not applicable	
<b>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:</b>	Not applicable.	

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

#### UK Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2001 No.2677) with amendments.

#### EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

#### Statutory Instruments

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### Guidance Notes

# Insta-Bond - Clear

Page 8 of 8

Issued: 25/10/2019, Revision No: 1

Regulation (EC) No. 453/2010

Health and Safety Executive Workplace Exposure Limits EH40.

## 15.2 Chemical Safety Assessment

Chemical safety assessments / reports are not required for mixtures.

## 16. OTHER INFORMATION

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006 (REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals) as amended and Regulation EU 453/2010.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008 (CLP):

**Physical hazards:** On basis of test data / Expert judgement  
**Health hazards:** Calculation method  
**Environmental hazards:** Calculation method

### Full text of H-statements referred to under sections 2 and 3

H226 Flammable liquid and vapour.  
H315 Causes skin irritation.  
H318 Causes serious eye damage  
H331 Harmful if inhaled

### Abbreviations and acronyms

CAS: Chemical Abstract Service (division of the American Chemical Society) – Section 3.  
STOT Single Target Organ Toxicity – Section 11.  
TWA Time Weighted Average – Section 8.  
STEL Short Term Exposure Limit – Section 8.  
DNEL Derived No Effect Level – Section 8.  
PNEL Predicted No Effect Level – Section 8.  
EC50 Effective Concentration, 50 percent – Section 12.  
LD50 Lethal Dose, 50 percent – Section 11.  
LC50 Lethal Concentration, 50 percent – Section 11.  
PBT: Persistent, Bioaccumulative, Toxic – Section 12.  
VPvB: very Persistent and very Bioaccumulative – Section 12.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall only be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

