

# Eliminator

Page 1 of 7  
Issued: 14/11/2017; Revision No.1  
Regulation (EU) 453/2010

## 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

### 1.1 Product Identifier

Material name : Eliminator

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Carpet spot and stain remover

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: IMG Ltd.,  
Unit M  
Riverside Industrial Estate  
Fazeley  
Tamworth  
B78 3RW

Tel. : 01827 283322  
Fax. : 01827 250143  
Email (for SDSs) : sales@img-limited.co.uk

1.4 Emergency tel. no.: 01827 283322 (Available from 08.30-17.00 hours).

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

According to 1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation:

Physical and Chemical Hazards	Flam.Aerosol 1; H222; H229
Human health	Eye Irrit.2; H319
Environment	Not classified

### 2.2 Label elements

Labelling according to EC Directives: 1272/2008/EC

Signal word: Danger

Pictogram(s):



H- Statements:	H222 H229 H319	Extremely flammable aerosol. Pressurised container: may burst if heated. Causes serious eye irritation.
P-Statements:	P210 P211 P251 P261 P280 P305+351+338 P337+313 P410+412 P501	Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Pressurised container: Do not pierce or burn, even after use. Avoid breathing vapour/spray. Wear protective gloves/protective clothing/eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Dispose of contents/container in accordance with national regulations.

### 2.3 Other hazards:

In use, may form flammable / explosive vapour-air mixture.

# Eliminator

Page 2 of 7  
 Issued: 14/11/2017; Revision No.1  
 Regulation (EU) 453/2010

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

#### Hazardous components

Chemical Name	CAS No./ EC No./ Reg. No	Classification (1272/2008/EC)	Content
BUTANE/ISOBUTANE	106-97-8 203-448-7 01-2119474691-32	Flam.Gas 1; H220	10-30%
2-BUTOXYETHANOL	111-76-2 203-905-0 01-2119475108-36-xxxx	Acute Tox.4; H302 Acute Tox.4; H312 Acute Tox.4; H332 Sk.Irrit.2; H315 Eye Irrit.2; H319	1-5%
PROPAN-2-OL	67-63-0 200-661-7 01-2119457558-25-xxxx	Flam.Liq.2; H225 Eye Irrit.2; H319 STOT SE3; H336	1-5%
ALCOHOLS, C10-12 ETHOXYLATED (5EO)	67254-71-1	Eye Dam.1; H318	<1%
SODIUM XYLENE SULPHONATE	1300-72-7	Eye Irrit.2; H319	<1%

See Section 16 for the full text of the H-statements noted above.

(1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation).

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice:** Remove casualty from exposure ensuring one's own safety whilst doing so. Take off any contaminated clothing and shoes/boots immediately. Never give anything by mouth to an unconscious person.

**Skin contact:** Wash with soap and water. Seek medical advice if irritation develops.

**Eye contact:** Rinse with water for 10 minutes and seek medical advice if irritation persists.

**Ingestion:** Rinse mouth with water and give water to drink. Do not induce vomiting. Seek medical advice.

**Inhalation:** Remove to fresh air. Seek medical advice.

**4.2 Most important symptoms and effects, both acute and delayed:** May cause irritation to skin and eyes with prolonged contact.

**4.3 Indication of any immediate medical attention and special treatment needed:** See skin and eye contact information above.

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

Suitable extinguishing media: Carbon dioxide; dry chemical powder; alcohol or polymer foam.

Unsuitable extinguishing media: High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting: Irritating/toxic fumes may be released at elevated temperatures.

# Eliminator

Page 3 of 7  
Issued: 14/11/2017; Revision No.1  
Regulation (EU) 453/2010

## 5.3 Advice for fire-fighters:

Special protective equipment: Wear self-contained breathing apparatus. Use personal protective equipment.

Further information: Standard procedure for chemical fires. Use water spray to cool containers.  
Do not allow fire run-off to enter drains.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Use personal protective equipment to deal with spillage.

### 6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

### 6.3 Methods and materials for containment and cleaning up

Wipe up liquid spillage with absorbent material such as sand, earth, or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

**6.4 References to other sections:** See sections 8 and 13 for personal protection and disposal information.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Handle with care.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, well ventilated area, below 50°C. Protect from frost, heat and sunlight. Keep away from food, drink and animal feed.

**7.3 Specific end use(s):** No information available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

Chemical name	8hr TWA	15min STEL	Reference
Butane/Isobutane	1450 mg m <sup>-3</sup> /600ppm	1250 mg/m <sup>3</sup> /500 ppm	EH40/2005
2-Butoxyethanol	123 mg/m <sup>3</sup> / 25ppm	246 mg/m <sup>3</sup> / 50ppm (Sk) (BMGV)	EH40/2005
Propan-2-ol	999 mg/m <sup>3</sup> /400 ppm	1250 mg/m <sup>3</sup> /500 ppm	EH40/2005

### 8.2 Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Personal protective equipment**

**Respiratory protection:** Given the product usage, unlikely to be necessary.

# Eliminator

Page 4 of 7

Issued: 14/11/2017; Revision No.1  
Regulation (EU) 453/2010

**Hand protection:** PVC, Neoprene or Nitrile Rubber gloves approved to EN374 standard; check with glove manufacturer for specific advice. Gloves should only be worn on clean hands. Replace worn gloves. Wash and dry gloves after use. (Sk) noted above means can be absorbed through skin.

**Eye protection:** Chemical splash goggles and/or face shield approved to EN166 should be worn.

**Skin and body protection:** Protective overalls. The selected protective clothing has to satisfy the standard EN 13034, which describes clothing offering limited 8 hour protection against splashes.

**Hygiene measures:** Handle in accordance with good industrial hygiene and safety practices. Do not eat or drink whilst using the product. Wash hands before breaks and at the end of the work day. Wash contaminated clothing before re-use.

**Environmental exposure controls:** Do not discharge into drains or rivers.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

State and colour	Aerosol emitting a foamy spray.
Odour	Characteristic
Odour Threshold	No data available
Flammability	Extremely flammable
Flash point	<0°C
Lower explosion limit	0.8%
Upper explosion limit	12.0%
Explosive properties	Not explosive
Thermal decomposition	No data available
Auto-ignition temperature	No data available
Oxidising properties	Non-oxidising
Solubility in water	Soluble
Solubility in other solvents	Soluble in alcohols.
pH	10-11
Melting point/range	No data available
Boiling point/range	No data available
Density	No data available
Vapour pressure	No data available
Vapour density	No data available
Partition coefficient: n-octanol/water	No data available
Viscosity (kinematic)	No data available
Evaporation rate	No data available

9.2 Other information No data available

## 10. STABILITY AND REACTIVITY

10.1 Reactivity	Generally non-reactive.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	None if stored and used as directed.
10.4 Conditions to avoid	None known.
10.5 Incompatible materials	Strong oxidising agents.
10.6 Hazardous decomposition products	Oxides of carbon.

# Eliminator

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Chemical name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Butane/Isobutane	Not applicable	>20mg/l (Rat) 4h	Not applicable
2-Butoxyethanol	300-2000mg/kg (Rat)	No data available	1000-2000 mg/kg (Rat)
Propan-2-ol	>2000 mg/kg (Rat)	No data available.	>2000 mg/kg (Rabbit)

<b>Skin corrosion/irritation:</b>	2-Butoxyethanol: Classed as a skin irritant.
<b>Serious eye damage/eye irritation:</b>	2-Butoxyethanol: Classed as an eye irritant.
<b>Respiratory or skin sensitisation:</b>	2-Butoxyethanol: Not classed as a respiratory irritant or skin sensitiser.
<b>Repeated dose toxicity:</b>	2-Butoxyethanol: No data available.
<b>Carcinogenicity:</b>	2-Butoxyethanol: Not carcinogenic.
<b>Mutagenicity:</b>	2-Butoxyethanol: Not mutagenic.
<b>Toxicity for reproduction:</b>	2-Butoxyethanol: Not expected to impair fertility.
<b>Specific target organ toxicity (STOT):</b>	2-Butoxyethanol: No data available.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Chemical name	Species	Test	Value
2-Butoxyethanol	Daphnia	EC50	>100 mg/l
	Fish	LC50	>100 mg/l
	Algae	EC50	>100 mg/l
Propan-2-ol	Daphnia	EC50 48h	>100 mg/l
	Golden ide	LC50 48h	>100 mg/l
	Algae	EC50 72h	>100 mg/l

<b>12.2 Persistence and degradability</b>	2-Butoxyethanol: >70% biodegradable.
<b>12.3 Bioaccumulative potential</b>	2-Butoxyethanol: No data available.
<b>12.4 Mobility in soil</b>	2-Butoxyethanol: No data available.
<b>12.5 Results of PBT and vPvB assessment</b>	2-Butoxyethanol: Not considered to be PBT or vPvB.
<b>12.6 Other adverse effects</b>	2-Butoxyethanol: No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Disposal operations: Dispose of in accordance with local and national regulations.  
 Contact licensed waste disposal company. Most aerosols can be recycled.  
 Do not pierce or burn or use a cutting torch on the empty aerosol container.

## Eliminator

Page 6 of 7  
Issued: 14/11/2017; Revision No.1  
Regulation (EU) 453/2010

### 14. TRANSPORT INFORMATION

General Information: The UN number for all aerosols is 1950. Aerosols packed in fibreboard cartons up to 30 kg gross weight, or shrink/stretch wrapped onto trays up to 20 kg gross weight may be transported as Limited Quantities, and should display the following symbol on the pack:



The following information relates to all other aerosols not transported as Limited Quantities:

**14.1 UN number:** ADR/RID/ADN; IMDG; ICAO: 1950

**14.2 UN proper shipping name:** AEROSOLS

**14.3 Transport hazard class(es):** ADR/RID/ADN Class: 2, 5F

ADR/RID/ADN Class: Class 2, Gases

ADR Label No.: 2.1

IMDG Class: 2

ICAO Class/Division: 2

ICAO Subsidiary risk: 2.1



Transport labels

**14.4 Packing Group:** ADR/RID/ADN; IMDG; ICAO: Not applicable for aerosols

**14.5 Environment hazards:** Marine Pollutant: Not applicable for aerosols.

**14.6 Special precautions for user:** EMS: F-D,S-U

**14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:** Not applicable for aerosols.

### 15. REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### UK Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2001 No.2677) with amendments.

#### EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

# Eliminator

Page 7 of 7

Issued: 14/11/2017; Revision No.1  
Regulation (EU) 453/2010

## Statutory Instruments

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

## Guidance Notes

Health and Safety Executive Workplace Exposure Limits EH40.

## 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been performed on this product.

## 16. OTHER INFORMATION

This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006 (REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals) as amended and Regulation EU 453/2010.

Tariff number: 34039100.

## Full text of H-statements referred to under sections 2 and 3

H220 Extremely flammable gas.  
H222 Extremely flammable aerosol.  
H225 Highly flammable liquid and vapour.  
H229 Pressurised container: may burst if heated.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation  
H332 Harmful if inhaled  
H336 May cause drowsiness or dizziness

## Abbreviations and acronyms

CAS: Chemical Abstract Service (division of the American Chemical Society). {Section 3}.  
STOT: Single Target Organ Toxicity (Section 11).  
TWA: Time-weighted average. (Section 8).  
STEL: Short-term exposure limit. (Section 8).  
PBT: Persistent, Bioaccumulative, Toxic. (Section 12).  
vPvB: very Persistent and very Bioaccumulative. (Section 12).  
EC50: Effective Concentration, 50 percent. (Section 12).  
LC50: Lethal Concentration, 50 percent. (Section 11/12).  
LD50: Lethal Dose, 50 percent. (Section 11).

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]