

# META SLIP HT

In compliance with Chip 4 and ACOP, Compilation of Safety Data Sheets, 4th Edition, this information is provided to help inform Risk Assessments. Its contents cannot be considered to be a risk assessment under Management of Health and safety or other such regulations. Risk Assessments require consideration of other information related to the precise circumstances and situation in which a substance or preparation is to be used. Such information is not available to the supplier/compiler of this data.

## SECTION 1

Product name  
Product use

## PRODUCT IDENTIFICATION

Meta Slip HT  
Anti-seize compound.



## SECTION 2

Classification 1272/2008/EC

Environment  
Hazard symbols:  
Hazard statements:  
Precautionary statements:

## HAZARDS IDENTIFICATION

Physical and Chemical Hazards Not classified  
Human health Not classified  
Not classified  
None Signal word: None  
None  
P280: Wear protective gloves.  
P314: Get medical advice/attention if you feel unwell.



## SECTION 3

Hazardous components  
Chemical Name(s)

Propylene Carbonate  
Other ingredients:

## COMPOSITION/INFORMATION ON INGREDIENTS

### Related Information

% (w/w)	CAS no.	Classification/H-Statements
<1%	108-32-7	Eye Irrit.2; H319
Copper/mineral oil blend.		



## SECTION 4

Contact with  
Eyes  
Ingestion  
Inhalation  
Skin

## FIRST AID MEASURES

Flush with water for 15 minutes. Seek medical advice if irritation persists.  
Wash out mouth with water. Do not induce vomiting. Give water to drink. Seek medical advice.  
Remove to fresh air. Seek medical advice.  
Wash with soap and water.



## SECTION 5

Extinguishing media  
Special procedures

## FIRE FIGHTING MEASURES

Use Water spray, Carbon dioxide, Dry powder or Foam.  
Wear protective clothing to prevent contact with skin and eyes.



## SECTION 6

Clean-up procedures

## ACCIDENTAL RELEASE MEASURES

Absorb into dry earth/sand and transfer to a labelled salvage vessel for safe disposal.



## SECTION 7

Handling  
Storage

## HANDLING AND STORAGE

Avoid contact with skin and eyes. Wash hands after use and before meal breaks.  
Store in a cool, well ventilated area between 5°C and 35°C. Keep container tightly closed.



**SECTION 8**

Hazardous components  
Chemical name  
Mineral oil  
Engineering measures  
Respiratory protection  
Hand protection  
Eye protection  
Skin protection

**EXPOSURE CONTROLS AND PERSONAL PROTECTION**

Workplace exposure limits (WELs)  
8 hour TWA                      15 min STEL  
Related information  
(oil mist)  
5 mg m<sup>-3</sup>  
Ensure there is sufficient ventilation of the area.  
Requirement for respiratory protection is unlikely.  
PVC or rubber gloves.  
Wear safety glasses if there is a risk of eye contact.  
Protective overalls.

**SECTION 9**

State: Paste  
Colour: Golden brown

**PHYSICAL AND CHEMICAL PROPERTIES**

Odour: Mild  
Solubility in water: Insoluble  
Flash point: 220°C  
SG: 0.97  
Flammability: Non-Flammable

**SECTION 10**

Stability  
Conditions to avoid  
Materials to avoid  
Decomposition products

**STABILITY AND REACTIVITY**

Stable under normal conditions.  
Excessive heat for prolonged periods.  
Strong oxidising agents. Strong acids.  
Toxic or irritating fumes may be produced at elevated temperatures.

**SECTION 11**

Skin  
Eye  
Ingestion  
Inhalation

**TOXICOLOGICAL INFORMATION**

Prolonged or repeated contact may cause irritation.  
Contact may cause irritation.  
Nausea and stomach pain may occur.  
Inhalation of copper fumes may cause metal fume fever.

**SECTION 12**

Adverse effects:

**ECOLOGICAL INFORMATION**

Copper is naturally present in the environment. However, high concentrations may affect aquatic organisms; copper may bioaccumulate.

**SECTION 13**

Disposal operations

**DISPOSAL CONDITIONS**

Contact licensed waste disposal company.  
NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**SECTION 14****TRANSPORT INFORMATION**

UN Number: Not classified for transport purposes.  
Tariff Number:                      34039900

**SECTION 15**

Regulatory references:

**REGULATORY INFORMATION**

Regulations (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.  
Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

**SECTION 16****OTHER INFORMATION**

N.B. This SDS gives a summary of the product's classification and hazards under the CLP Regulations, the full version is available from the office.  
Always use in accordance with manufacturer's directions.  
Dated 25/09/15                      CLP/Rev.1



**Metalyte** Riverside Ind. Estate Fazeley, Tamworth Staffordshire B78 3RW

Telephone: 01827 283322 Fax: 01827250143 Metalyte Pipeworks is a wholly owned subsidiary of the IM Group

The **IM Group** utilizes a process of continuous product improvement for all of our products. While the IM Group strictly adhere to our products specifications, we routinely implement product improvements. Therefore, please contact us for our most current product specifications. The IM Group warrants the quality of this product when used according to directions. Apply protective coatings per Company Standards. User shall determine suitability of product for use and assumes all risk. The seller will not accept liability for more than product replacement.

**Trademarks:** **Metalyte** Pipe Integrity and Leak Repair is a trademark of the IM Group.

