

# Powerfoam

Page 1 of 7  
Issued: 18/02/2020, Revision No: 3  
Regulation (EC) No. 453/2010

## 1. IDENTIFICATION OF SUBSTANCE / MIXTURE OF THE COMPANY / UNDERTAKING

### 1.1 Product Identifier

Material name: Powerfoam

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Foaming bathroom cleanser

### 1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier: IMG Ltd.,  
Unit M  
Riverside Industrial Estate  
Fazeley  
Tamworth  
B78 3RW

Telephone: 01827 283322

Fax: 01827 250143

Email (for SDS): sales@img-limited.co.uk

1.4 Emergency tel. no: 01827 283322 (Available from 8.30 – 17.00 hours)

## 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

According to 1272/2008/EC: Classification, Labelling and Packaging of Substances and Mixtures (CLP) Regulation:

Physical and Chemical hazards Not classified

Human Health Eye Irr.2; H319

Environment Not classified

### 2.2 Label elements

Label according to EC Directives: 1272/2008/EC:

Signal word: Warning

Pictogram(s):



**Hazard Statements:** H319 Causes serious eye irritation.

**Precautionary Statements:** P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P264 Wash hands, forearms and face thoroughly after handling.

# Powerfoam

Page 2 of 7

Issued: 18/02/2020, Revision No: 3

Regulation (EC) No. 453/2010

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.

**2.3 Other hazards:** No data available.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

### 3.2 Mixtures:

#### Hazardous components:

Chemical Name	CAS.No/ EC No./ Reg.No	Classification (1272/2008/EC)	Content
Citric Acid	CAS: 77-92-9 EC: 201-069-1	Eye Irr.2; H319	>=5-<10%
Caprylyl/Capryl Glucoside	CAS: 68515-73-1 EC: 500-220-1 REACH: 01-2119488530-36	Eye Dam.1; H318	>=0.5-<5%
Lactic Acid	REACH: 01-2119474164-39	Acute Tox.1 (Dermal); H310 Skin Irr.2; H315 Eye Dam.1; H318	>0.5-<5%

See Section 16 for the full text of the H statements declared above.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice:** In all cases of doubt, or when symptoms persist, seek medical attention.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Inhalation:** Remove person to fresh air and keep comfortable for breathing.

**Skin contact:** Wash skin with plenty of water.

**Ingestion:** Call a poison centre or a doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed:** In case of contact with eye, irritation may occur.

**4.3 Indication of any immediate medical attention and special treatment needed:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media:** Water spray. Dry powder. Foam. Carbon dioxide.

**Unsuitable extinguishing media:** None known.

### 5.2 Special hazards arising from the substance or mixture

# Powerfoam

Toxic fumes may be released.

## 5.3 Advice for fire-fighters

Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Standard procedure for chemical fires. Use water spray to cool unopened containers. Do not allow fire run-off to enter drains.

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

No action shall be taken involving personal risk or without suitable personal protective equipment. Evacuate personnel to safe areas. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

### 6.2 Environmental precautions

Contain the spillage using sufficient appropriate absorbent material. Do not discharge into drains or rivers, but if contamination to waterways has occurred, inform local authorities.

### 6.3 Methods and materials for containment and cleaning up

Wipe up any liquid spillage with absorbent material such as sand, earth or vermiculite, and place in a labelled container for disposal in accordance with local/national regulations.

### 6.4 Reference to other sections

See Section 8 for personal protection.

See Section 13 for additional waste treatment information.

## 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Ensure that there is sufficient ventilation of the area. Avoid contact with skin and eyes. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and well-ventilated area. Keep container tightly closed.

### 7.3 Specific end use(s)

No information available.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### 8.1 Control parameters

No information available.

### 8.2 Exposure controls

**Engineering measures:** Ensure there is sufficient ventilation of the area.

#### Personal Protective Equipment

**Hand protection:** Protective gloves.

# Powerfoam

Page 4 of 7

Issued: 18/02/2020, Revision No: 3

Regulation (EC) No. 453/2010

Eye protection:	Safety glasses.
Skin protection:	Protective clothing.
Respiratory protection:	Self-contained breathing apparatus may be required if handling in a confined space with no ventilation.

Environmental exposure controls: Avoid release to the environment.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

State and colour:	Liquid.
Odour:	Perceptible odour.
Odour threshold:	No data available.
Flammability:	Not applicable.
Flash point:	>93°C
Lower explosion limit:	No data available.
Upper explosion limit:	No data available.
Explosive properties:	No data available.
Thermal decomposition:	No data available.
Auto-ignition temperature:	No data available.
Oxidising properties:	No data available.
Solubility in water:	No data available.
Solubility in other solvents:	No data available.
pH:	3-5.
Melting point / range:	No data available.
Boiling point / range:	No data available.
Relative Density:	1.02-1.05.
Vapour pressure:	No data available.
Vapour density:	No data available.
Partition coefficient: n-octanol / water:	No data available.
Viscosity (kinematic):	No data available.
Evaporation rate:	No data available.

9.2 Other information No data available.

## 10. STABILITY AND REACTIVITY

10.1 Reactivity	Stable under recommended transport and storage conditions.
10.2 Chemical stability	Stable under recommended storage and handling conditions.
10.3 Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	None under recommended transport and storage conditions.
10.5 Incompatible materials	Keep away from the following materials; oxidising agents, reducing agents.
10.6 Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute Toxicity

# Powerfoam

Chemical Name	Oral (LD50)	Inhalation (LC50)	Dermal (LD50)
Caprylyl/Capryl Glucoside	>2000 mg/kg (Rat)	No data available	2000 mg/kg (Rat)
Lactic Acid	3730 mg/kg (Rat) 4875 mg/kg (Mouse)	No data available	2000 mg/m <sup>3</sup>

## Symptoms / routes of exposure

<b>Skin corrosion / irritation:</b>	No data available.
<b>Serious eye damage / irritation:</b>	If splashed in eyes may cause irritation and redness.
<b>Respiratory or skin sensitisation:</b>	No data available.
<b>Repeated dose toxicity:</b>	No data available.
<b>Carcinogenicity:</b>	No data available.
<b>Mutagenicity:</b>	No data available.
<b>Toxicity for reproduction:</b>	No data available.
<b>Specific target organ toxicity (STOT):</b>	No data available.
<b>Further information:</b>	No data available.

## 12. ECOLOGICAL INFORMATION

### 12.1 Toxicity

Chemical name	Species	Test	Value
Lactic Acid	Fish	LC50 48h	320 mg/l
	Algae	EC50 48h	3500 mg/l

<b>12.2 Persistence and degradability</b>	No data available.
<b>12.3 Bioaccumulative potential</b>	No data available.
<b>12.4 Mobility in soil</b>	No data available.
<b>12.5 Results of PBT and vPvB assessment</b>	No data available.
<b>12.6 Other adverse effects</b>	No data available.

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Dispose of in accordance with local/national regulations. Do not allow to enter drains or watercourses. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

## 14. TRANSPORT INFORMATION

<b>14.1 UN number</b>	ADR/RID/AND; IMDG; ICAO	Not regulated
<b>14.2 UN Proper shipping name</b>		Not applicable
<b>14.3 Transport hazard class(es)</b>	ADR/RID/ADN Class	Not applicable
	ADR/RID/ADN Class	Not applicable
	ADR Label No.	Not applicable

# Powerfoam

Page 6 of 7  
Issued: 18/02/2020, Revision No: 3  
Regulation (EC) No. 453/2010

IMDG Class	Not applicable	
ICAO Class/Division	Not applicable	
ICAO Subsidiary Risk	Not applicable	
Transport labels	Not applicable	
14.4 Packing group	ADR/RID/AND; IMDG; ICAO	Not applicable
14.5 Environmental hazards	No	
14.6 Special precautions for user	Not applicable	
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:	Not applicable.	

## 15. REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

#### UK Regulatory References

The Control of Substances Hazardous to Health Regulations 2002 (S.I 2001 No.2677) with amendments.

#### EU Directives

Regulations (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments. Regulation EU 453/2010 amending Regulation (EC) No 1907/2006.

#### Statutory Instruments

The Chemicals (Hazard information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716).

#### Guidance Notes

Health and Safety Executive Workplace Exposure Limits EH40.

### 15.2 Chemical Safety Assessment

Chemical safety assessments / reports are not required for mixtures.

## 16. OTHER INFORMATION

This safety data sheet is prepared in accordance with Regulation EU 453/2010, amending Regulation (EC) No 1907/2006 (REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals).

Tariff number: 34029090

### Full text of H-statements referred to under sections 2 and 3

- H310 Fatal in contact with skin.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

### Abbreviations and acronyms

- CAS Chemical Abstract Service (division of the American Chemical Society) – Section 3.
- STOT Single Target Organ Toxicity – Section 11.

# Powerfoam

Page 7 of 7

Issued: 18/02/2020, Revision No: 3

Regulation (EC) No. 453/2010

TWA	Time Weighted Average – Section 8.
STEL	Short Term Exposure Limit – Section 8.
DNEL	Derived No Effect Level – Section 8.
EC50	Effective Concentration, 50 percent – Section 12.
LD50	Lethal Dose, 50 percent – Section 11.
LC50	Lethal Concentration, 50 percent – Section 11.
PBT	Persistent, Bioaccumulative, Toxic – Section 12.
VPvB	very Persistent and very Bioaccumulative – Section 12.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall only be used as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

[final page]

