



Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

	: Foamseal in a Can : 1A50-80FK-K00V-E9X1
Product code	: ASFOA115
Vaporizer	: aerosol

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

The Industrial Maintenance Group
Unit M, Riverside Industrial Estate
Fazeley, Tamworth
B78 3RW
T 01827 283 322
sales@img-limited.co.uk - www.img-limited.co.uk

1.4. Emergency telephone number

Emergency number

: 01827 283 322

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


Classification according to Regulatio	n (EC) No. 1272/2008 [CLP]
--	----------------------------

Aerosol, Category 1	H222;H229
Acute toxicity (oral), Category 4	H302
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Respiratory sensitisation, Category 1	H334
Skin sensitisation, Category 1	H317
Carcinogenicity, Category 2	H351
Specific target organ toxicity — Repeated exposure, Category 1	H372
Full text of H-statements: see section 16	

Full text of H-statements: see section 16

Adverse physicochemical, human health and environmental effects

Pressurised container: May burst if heated. Extremely flammable aerosol. Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure. Harmful if swallowed. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.







Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

Contains	: Polymethylene Polyphenol Isocyanate; Reaction mass of tris(2-chloropropyl) phosphate and tris(2-chloro-1-methylethyl) phosphate and phosphoric acid, bis(2-chloro-1-methylethyl) 2- chloropropyl ester and phosphoric acid, 2-chloro-1-methylethyl bis (2-chloropropyl) ester
Hazard statements (CLP)	 H222 - Extremely flammable aerosol. H229 - Pressurised container: May burst if heated. H302 - Harmful if swallowed. H315 - Causes skin irritation. H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation. H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 - Suspected of causing cancer. H372 - Causes damage to organs through prolonged or repeated exposure.
Precautionary statements (CLP)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing vapours, mist, spray. P280 - Wear eye protection, protective clothing, protective gloves. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P321 - Specific treatment (see supplemental first aid instruction on this label). P342+P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Polymethylene Polyphenol Isocyanate	(CAS-No.) 9016-87-9	≥ 25	Acute Tox. 4 (Inhalation:gas), H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372
Reaction mass of tris(2-chloropropyl) phosphate and tris(2-chloro-1-methylethyl) phosphate and phosphoric acid, bis(2-chloro-1-methyethyl) 2-chloropropyl ester and phosphoric acid, 2-chloro-1-methylethyl bis (2- chloropropyl) ester	(REACH-no) 01-2119486772-26	≥ 1 – < 30	Acute Tox. 4 (Oral), H302

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	 Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center or a doctor.





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effect	ts, both acute and delayed
Symptoms/effects after inhalation	: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide. : Carbon dioxide (CO2). Foam. Water.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Explosion hazard Hazardous decomposition products in case of fire	 Extremely flammable aerosol. Pressurised container: May burst if heated. Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures	
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for contain	ment and cleaning up

Methods for cleaning up Other information	 Mechanically recover the product. Notify authorities if product enters sewers or public waters. Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. We personal protective equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.
: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
ng any incompatibilities
: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locke up. Store in a well-ventilated place. Keep cool.
: 1 year : ≤ 50 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
Foamseal in a Can	Foamseal in a Can		
United Kingdom - Occupational Exposure Limits			
Local name Dimethyl ether			
WEL TWA (mg/m³)	766 mg/m³		
WEL TWA (ppm)	400 ppm		
WEL STEL (mg/m ³) 958 mg/m ³			
WEL STEL (OEL STEL) [ppm] 500 ppm			
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE			

8.2. Exposure controls

Appropriate engineering controls: Ensure good ventilation of the work station. Personal protective equipment: Gloves. Safety glasses.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Lower explosive limit (LEL)	: 1.8
Upper explosive limit (UEL)	: 13

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

extreme temperatures. Heat. High temperature.

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified 			
Acetone (67-64-1)				
LD50 oral rat	5800 mg/kg bodyweight Animal: rat, Animal sex: female			
LC50 Inhalation - Rat	76 mg/l air Animal: rat, Animal sex: female, 95% CL: 65,2 - 88,4			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation Respiratory or skin sensitisation	: Causes serious eye irritation. : Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: Not classified			
Reproductive toxicity	: Not classified			
Acetone (67-64-1)				
LOAEL (animal/female, F0/P)	11298 mg/kg bodyweight Animal: mouse, Animal sex: female			
NOAEL (animal/male, F0/P)	900 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Generation not specified (migrated information)			





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

10.5	Incom	natihle	mater	ials

Strong acids. Strong bases. Amines.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information				
11.1. Information on toxicological effects				
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	Harmful if swallowed.Not classifiedNot classified			
Foamseal in a Can				
ATE CLP (oral)	2000 mg/kg bodyweight			
Skin corrosion/irritation Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	 Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. Not classified Suspected of causing cancer. 			
Reproductive toxicity	: Not classified			
STOT-single exposure	: Not classified			
STOT-repeated exposure	: Causes damage to organs through prolonged or repeated exposure.			
Aspiration hazard	: Not classified			
Foamseal in a Can				
Vaporizer	aerosol			

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified
12.2. Persistence and degradability	
No additional information available	
12.3. Bioaccumulative potential	
No additional information available	
12.4. Mobility in soil	
No additional information available	





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

12.5. Results	of DDT	and vDvP	aaaaamant
12.5. Results			assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods European List of Waste (LoW) code	 Dispose of contents/container in accordance with licensed collector's sorting instructions. 08 05 01* - waste isocyanates 16 05 04* - gases in pressure containers (including halons) containing dangerous substances 15 01 10* - packaging containing residues of or contaminated by dangerous substances

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
ADR	IWDG	IATA	ADN	RID
14.1. UN number				
UN 1950	UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	ption			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.
14.3. Transport hazard c	lass(es)			I
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information	n available			
14.6. Special precautions	s for user			
Overland transport				
Classification code (ADR)	: 5F			
Special provisions (ADR)	: 190	, 327 , 344, 625		
imited quantities (ADR)	: 11			
Excepted quantities (ADR)	: E0			
Packing instructions (ADR)		7, LP200		
Special packing provisions (ADR) : PP87, RR6, L2				
lixed packing provisions (AD	R) : MP9			





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

Transport category (ADR) Special provisions for carriage - Packages (ADR)	:	2 V14
Special provisions for carriage - Loading, unloading		
and handling (ADR)	·	009,0012
Special provisions for carriage - Operation (ADR)	:	S2
Tunnel restriction code (ADR)		D
Transport by sea		
Special provisions (IMDG)		63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)		P207, LP200
Special packing provisions (IMDG)		PP87, L2
EmS-No. (Fire)		F-D
EmS-No. (Spillage)	:	S-U
Stowage category (IMDG)	:	None
Stowage and handling (IMDG)	:	SW1, SW22
Segregation (IMDG)	:	SG69
Air transport		
PCA Excepted quantities (IATA)	:	E0
PCA Limited quantities (IATA)	:	Y203
PCA limited quantity max net quantity (IATA)	:	30kgG
PCA packing instructions (IATA)	:	203
PCA max net quantity (IATA)	:	75kg
CAO packing instructions (IATA)	:	203
CAO max net quantity (IATA)		150kg
Special provisions (IATA)	:	A145, A167, A802
ERG code (IATA)	:	10L
Inland waterway transport		
Classification code (ADN)		5F
Special provisions (ADN)		190, 327, 344, 625
Limited quantities (ADN)		1 L
Excepted quantities (ADN)		EO
Equipment required (ADN)		PP, EX, A
Ventilation (ADN)		VE01, VE04
Number of blue cones/lights (ADN)	:	1
Rail transport		
Classification code (RID)		5F
Special provisions (RID)		190, 327, 344, 625
Limited quantities (RID)		1L
Excepted quantities (RID)		E0
Packing instructions (RID)		P207, LP200
Special packing provisions (RID)		PP87, RR6, L2 MP9
Mixed packing provisions (RID) Transport category (RID)		2
Special provisions for carriage – Packages (RID)	-	2 W14
Special provisions for carriage - Loading, unloading		
and handling (RID)	•	0000, 00012
Colis express (express parcels) (RID)		CE2
Hazard identification number (RID)	-	23
	·	

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BLV	Biological limit value	
CAS-No.	Chemical Abstract Service number	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC50	Median effective concentration	
EC-No.	European Community number	
EN	European Standard	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OEL	Occupational Exposure Limit	
РВТ	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
vPvB	Very Persistent and Very Bioaccumulative	
WGK	Water Hazard Class	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation:gas)	Acute toxicity (inhalation:gas) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Carc. 2	Carcinogenicity, Category 2





Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 3/30/2021 Revision date: 3/30/2023 Version: 1.0

Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Resp. Sens. 1	Respiratory sensitisation, Category 1
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity — Repeated exposure, Category 1
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

EN (English)

TERO TECH Riverside Ind. Estate, Fazeley, Tamworth, Staffordshire B78 3RW. Tel: 01827 283322 Fax: 01827250143



10/10

The IM Group utilizes a process of continuous product improvement for all of our products. While we do strictly adhere to our products' specifications, we routinely implement product improvements. Therefore, please contact us for our most current product specifications. IM Group warrants the quality of this product when used according to directions. Apply protective coatings per company standards. User shall determine suitability of product for use and assumes all risk. The seller will not accept liability for more than product replacement. Trademark(s): **TERO TECH** is a registered trademark of the IM Group.