

MACHINE LUBE

Suitable for ensuring smooth running of machinery



Grease & Lubes



What is Machine Lube?

Machine Lube is a synthetic lubricant which comprises of PTFE for friction reduction, and the addition of the latest technological additives, to produce a high performance and high temperature lubricant.

Areas of use

Machine Lube has excellent resistance to water and steam, which makes it ideal for applications where frequent wash down of plant is essential.

Machine Lube is ideal for lubrication of bearings, slides and all delicate mechanisms used in the food manufacturing & processing industry. Particularly recommended for use on bakery mixing machines, milk and soft drink bottling plants, and food canning plants.

Main Features

Non-Toxic

Low odour

Maximum operating temperature
150°C

Excellent resistance to water, steam, acids & alkalis

Suitable for use in plain and anti-friction bearings

Exceptional high load ability
Excellent adhesion

Will lubricate most food factory applications that require grease
High temperature performance extends component life and reduces need to re-lubricate

Technical info

As with all greases used for the first time, check compatibility with the grease applied previously and if necessary purge bearings prior to application. Likewise, take care not to over-lubricate. Only apply the quantity of grease recommended by the bearing manufacturer.

Health and Safety

Always ensure that precautionary measures found in the MSDS sheet for Machine Lube are read and followed before use and please ensure that appropriate PPE is used when preparing, mixing and applying products.

Metalyte Riverside Ind. Estate Fazeley, Tamworth Staffordshire B78 3RW
Telephone: 01827 283322 Fax: 01827 250143 Metalyte Pipeworks is a wholly owned subsidiary of the IM Group

The IM Group utilizes a process of continuous product improvement for all of our products. While the IM Group strictly adhere to our products specifications, we routinely implement product improvements. Therefore, please contact us for our most current product specifications. The IM Group warrants the quality of this product when used according to directions. Apply products as per Company Standards. User shall determine suitability of product for use and assumes all risk. The seller will not accept liability for more than product replacement.

Trademarks: Metalyte is a trademark of the IM Group.

Issue Date: 08.03.21

Revision Date: 15.01.25

Revision: 2.0

