



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 7/1/2024 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

: Chill-Eze HB LT Part B Product name

Product code : ASEPOX100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

: Industrial use, Professional use Main use category

Use of the substance/mixture : Low-temp curing floor coating, hardener component

1.3. Details of the supplier of the safety data sheet

The Industrial Maintenance Group Unit M, Riverside Industrial Estate Fazeley, Tamworth B78 3RW, Staffordshire T 01827 283 322

sales@img-limited.co.uk, www.img-limited.co.uk

1.4. Emergency telephone number

: 01827 283 322 **Emergency number**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Acute toxicity (inhal.), Category 4 H332 Skin corrosion/irritation, Category 1, Sub-Category 1B H314 Serious eye damage/eye irritation, Category 1 H318 Skin sensitisation, Category 1 H317 H361fd Reproductive toxicity, Category 2 H400 Hazardous to the aquatic environment - Acute Hazard,

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Suspected of damaging fertility or the unborn child. Harmful if inhaled. Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



Signal word (CLP) : Danger

: Paratertiarybutylphenol; MXDA; 4-Nonylphenol; 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine Contains

Hazard statements (CLP) : H302+H332 - Harmful if swallowed or if inhaled. H314 - Causes severe skin burns and eye damage.

H317 - May cause an allergic skin reaction.

Safety Data Sheet

Precautionary statements (CLP)

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

H361fd - Suspected of damaging fertility. Suspected of damaging the unborn child.

H410 - Very toxic to aquatic life with long lasting effects.

: P201 - Obtain special instructions before use.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P330+P331+P310 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

Immediately call a POISON CENTER or doctor.

P303+P361+P353+P310 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor. P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P391 - Collect spillage.

EUH-statements : EUH071 - Corrosive to the respiratory tract.

2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Paratertiarybutylphenol (98-54-4), 4-Nonylphenol (84852-15-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Paratertiarybutylphenol (98-54-4), 4-Nonylphenol (84852-15-3)

The mixture contains substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Component

Substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

Paratertiarybutylphenol (98-54-4), 4-Nonylphenol (84852-15-3)

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paratertiarybutylphenol substance listed on REACH Candidate List (4-tert- butylphenol) substance identified as having endocrine disrupting properties	CAS-No.: 98-54-4 EC-No.: 202-679-0	≥ 25 – < 55	Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361 Aquatic Chronic 1, H410
MXDA	CAS-No.: 1477-55-0 EC-No.: 216-032-5	≥ 25 – < 55	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Skin Sens. 1B, H317 Aquatic Chronic 3, H412

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine	CAS-No.: 25513-64-8 EC-No.: 247-063-2	≥ 25 – < 55	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1, H317
4-Nonylphenol substance listed on REACH Candidate List (4-Nonylphenol, branched and linear) substance identified as having endocrine disrupting properties	CAS-No.: 84852-15-3 EC-No.: 284-325-5	≥ 10 - < 30	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Repr. 2, H361 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=10)

Specific concentration limits:		
Name	Product identifier	Specific concentration limits (%)
4-Nonylphenol	CAS-No.: 84852-15-3 EC-No.: 284-325-5	(2.5 ≤ C < 25) Aquatic Acute 1; H400 (2.5 ≤ C < 25) Aquatic Chronic 1; H410

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a

physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Notify authorities if product enters sewers or public waters.

Absorb spillage to prevent material damage.

For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage. Contain any spills with dikes or absorbents to prevent migration and entry

into sewers or streams. Stop leak without risks if possible.

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use. Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have be

: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Use only outdoors or in a well-

ventilated area. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapours/spray.

Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be

allowed out of the workplace. Do not eat, drink or smoke when using this product. Always

wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up.

Packaging materials : Store always product in container of same material as original container.

7.3. Specific end use(s)

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Personal protection equipment

Personal protective equipment:

Wear recommended personal protective equipment.

Personal protective equipment symbol(s):









Eye and face protection

Eye protection:

Face shield

Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Reusable gloves	Polyvinylchloride (PVC)	6 (> 480 minutes)	0.5		

Respiratory protection

Respiratory protection:

Wear respiratory protection.

Respiratory protection			
Device	Filter type	Condition	Standard
	Gas/vapour filter		

Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Colour : light yellow.
Appearance : fluid.
Odour : Amine-like.
Odour threshold : Not available
Melting point : Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Freezing point : Not available Boiling point : > 230 °C : Non flammable. Flammability Lower explosion limit : Not available Upper explosion limit : Not available Flash point : > 93 °C Auto-ignition temperature : 365 °C Decomposition temperature : Not available рΗ : Not available Viscosity, kinematic : 1.89 mm²/s : 1.76 cP Viscosity, dynamic

Solubility : Immiscible with water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 0.7 Pa @ 20C
Vapour pressure at 50°C : 0.148 hPa(a)
Density : 974 kg/m³
Relative density : 0.974
Relative vapour density at 20°C : Not available
Particle characteristics : Not applicable

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

Chill-Eze HB LT Part B	
ATE CLP (oral)	1820 mg/kg bodyweight
ATE CLP (gases)	4500 ppmv/4h
ATE CLP (vapours)	11 mg/l/4h
ATE CLP (dust,mist)	1.5 mg/l/4h

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified.	Paratertiarybutylphenol (98-54-4)	
LD50 dermal rat 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LD50 oral rat 910 mg/kg bodyweight Animal: rat, Animal sex: male Skin corrosion/irritation : Causes severe skin burns. Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified 3-You classified 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat 60 mg/kg bodyweight Animal: rat 60 mg/kg bodyweight Animal: rat 7	LD50 oral rat	,
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LD50 oral rat 910 mg/kg bodyweight Animal: rat, Animal sex: male Skin corrosion/irritation Causes severe skin burns. Serious eye damage/irritation Expiratory or skin sensitisation Germ cell mutagenicity Not classified Carcinogenicity Not classified Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure Not classified 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 26 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)	MXDA (1477-55-0)	
LD50 oral rat 910 mg/kg bodyweight Animal: rat, Animal sex: male Skin corrosion/irritation : Causes severe skin burns. Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837,3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 26 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat 60 mg/kg bodyweight Animal: rat	LD50 dermal rat	> 3100 mg/kg bodyweight Animal: rat
Skin corrosion/irritation : Causes severe skin burns. Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P)	2,2,4(or 2,4,4)-trimethylhexane-1,6-dian	nine (25513-64-8)
Serious eye damage/irritation : Causes serious eye damage. Respiratory or skin sensitisation : May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 26 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	LD50 oral rat	910 mg/kg bodyweight Animal: rat, Animal sex: male
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) Suspected of damaging fertility. Suspected of damaging the unborn child. 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) STOT-single exposure Not classified STOT-repeated exposure Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 26 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat 60 mg/kg bodyweight Animal: rat 60 mg/kg bodyweight Animal: rat	Skin corrosion/irritation	: Causes severe skin burns.
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P)	Serious eye damage/irritation	: Causes serious eye damage.
Carcinogenicity : Not classified Reproductive toxicity : Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P)	Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Reproductive toxicity: Suspected of damaging fertility. Suspected of damaging the unborn child. 4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure: Not classified: 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 26 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	• •	: Not classified
4-Nonylphenol (84852-15-3) NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	Carcinogenicity	: Not classified
NOAEL (animal/female, F0/P) 15 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 416 (Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	Reproductive toxicity	: Suspected of damaging fertility. Suspected of damaging the unborn child.
(Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: generations tested: F0, F1, F2, F3 (migrated information) NOAEL (animal/male, F1) 15 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: other:EPA OPPTS 837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	4-Nonylphenol (84852-15-3)	
837.3800 (US EPA OPPTS 1998) STOT-single exposure : Not classified STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days)	NOAEL (animal/female, F0/P)	(Two-Generation Reproduction Toxicity Study), Remarks on results: other:Generation: All
STOT-repeated exposure : Not classified. 4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days)	NOAEL (animal/male, F1)	
4-Nonylphenol (84852-15-3) LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	STOT-single exposure	: Not classified
LOAEL (oral, rat, 90 days) 400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28 Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	STOT-repeated exposure	: Not classified.
Day Oral Toxicity in Rodents) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	4-Nonylphenol (84852-15-3)	
(Repeated Dose 28-Day Oral Toxicity in Rodents) 2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8) LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	LOAEL (oral, rat, 90 days)	400 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 407 (Repeated Dose 28-Day Oral Toxicity in Rodents)
LOAEL (oral, rat, 90 days) 60 mg/kg bodyweight Animal: rat	NOAEL (oral, rat, 90 days)	
	2,2,4(or 2,4,4)-trimethylhexane-1,6-dian	nine (25513-64-8)
NOAEL (oral, rat, 90 days) 10 mg/kg bodyweight Animal: rat	LOAEL (oral, rat, 90 days)	60 mg/kg bodyweight Animal: rat
	NOAEL (oral, rat, 90 days)	10 mg/kg bodyweight Animal: rat
Aspiration hazard : Not classified	Aspiration hazard	: Not classified
Chill-Eze HB LT Part B	Chill-Eze HB LT Part B	
Viscosity, kinematic 1.89 mm²/s	Viscosity, kinematic	1.89 mm²/s

11.2. Information on other hazards

Endocrine disrupting properties

Component	
Paratertiarybutylphenol (98-54-4)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)
4-Nonylphenol (84852-15-3)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazardous to the aquatic environment, short-term

: Very toxic to aquatic life.

(acute)

Hazardous to the aquatic environment, long-term

: Very toxic to aquatic life with long lasting effects.

(chronic)

(5.11.5.11.5)	
Paratertiarybutylphenol (98-54-4)	
LC50 - Fish [1]	> 1 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	≈ 4.8 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	≈ 14 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	≈ 2.4 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	2.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.73 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
MXDA (1477-55-0)	
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Oryzias latipes
EC50 - Crustacea [1]	15.2 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	20.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	33.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	15 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	4.7 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
4-Nonylphenol (84852-15-3)	
EC50 - Crustacea [1]	84.4 μg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	0.33 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	0.41 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
NOEC chronic fish	0.006 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri) Duration: '91 d'
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine ((25513-64-8)
EC50 72h - Algae [1]	43.5 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	1.02 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	≥ 10.9 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '30 d'
	I .

12.2. Persistence and degradability

Chill-Eze HB LT Part B	
Persistence and degradability	Not rapidly degradable
Paratertiarybutylphenol (98-54-4)	
Persistence and degradability	Not rapidly degradable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

MXDA (1477-55-0)	
Persistence and degradability	Not rapidly degradable
4-Nonylphenol (84852-15-3)	
Persistence and degradability Not rapidly degradable	
2,2,4(or 2,4,4)-trimethylhexane-1,6-diamine (25513-64-8)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
Substance(s) not meeting the PBT criteria of REACH regulation, in accordance with Annex XIII	Paratertiarybutylphenol (98-54-4), 4-Nonylphenol (84852-15-3)
Substance(s) not meeting the vPvB criteria of REACH regulation, in accordance with Annex XIII	Paratertiarybutylphenol (98-54-4), 4-Nonylphenol (84852-15-3)

12.6. Endocrine disrupting properties

Component	
Paratertiarybutylphenol (98-54-4)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)
4-Nonylphenol (84852-15-3)	The substance is identified for having endocrine disrupting properties but there is no additional data available (see section 2.3)

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

Additional information

European List of Waste (LoW, EC 2000/532)

HP Code

- : Disposal must be done according to official regulations.
- : Dispose of contents/container in accordance with licensed collector's sorting instructions.
- : Disposal must be done according to official regulations.
- : Disposal must be done according to official regulations.
- : Do not re-use empty containers.
- : 20 01 27* paint, inks, adhesives and resins containing dangerous substances
- : HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.

HP8 - "Corrosive:" waste which on application can cause skin corrosion.

HP10 - "Toxic for reproduction:" waste which has adverse effects on sexual function and fertility in adult males and females, as well as developmental toxicity in the offspring.

HP13 - "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 2735	UN 2735	UN 2735	UN 2735	UN 2735
14.2. UN proper shippin	g name			
AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert-Butylphenol)	AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert-Butylphenol)	Amines, liquid, corrosive, n.o.s. (Contains Tert- Butylphenol)	AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert-Butylphenol)	AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert-Butylphenol)
Transport document descr	iption			
UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert- Butylphenol), 8, II, (E), ENVIRONMENTALLY HAZARDOUS	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert- Butylphenol), 8, II, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 2735 Amines, liquid, corrosive, n.o.s. (Contains Tert-Butylphenol), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert- Butylphenol), 8, II, ENVIRONMENTALLY HAZARDOUS	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (Contains Tert- Butylphenol), 8, II, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard o	class(es)			
8	8	8	8	8
8	8	8	8	8
14.4. Packing group				
II	II	II	II	II
14.5. Environmental haz	ards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes EmS-No. (Fire): F-A EmS-No. (Spillage): S-B	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
No supplementary informatio	n available		I	I

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C7 Special provisions (ADR) : 274 Limited quantities (ADR) : 11 Excepted quantities (ADR) : E2 Packing instructions (ADR) : P001, IBC02 Mixed packing provisions (ADR) : MP15 Portable tank and bulk container instructions (ADR) : T11 Portable tank and bulk container special provisions : TP1, TP27 (ADR) Tank code (ADR) : L4BN

Tank code (ADR) : L4E
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80

Orange plates :

80 2735

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tunnel restriction code (ADR) : E EAC code : 2X

Transport by sea

Special provisions (IMDG): 274Limited quantities (IMDG): 1 LExcepted quantities (IMDG): E2Packing instructions (IMDG): P001IBC packing instructions (IMDG): IBC02Tank instructions (IMDG): T11Tank special provisions (IMDG): TP1, TP27

Stowage category (IMDG) : A

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Colourless to yellowish liquids or solutions with a pungent odour. Miscible with or soluble in

water. When involved in a fire, evolve toxic gases. Corrosive to most metals, especially to copper and its alloys. Reacts violently with acids. Cause burns to skin, eyes and mucous

membranes.

: TP1, TP27

Air transport

PCA Excepted quantities (IATA) : E2 PCA Limited quantities (IATA) : Y840 PCA limited quantity max net quantity (IATA) : 0.5L PCA packing instructions (IATA) : 851 PCA max net quantity (IATA) : 1L CAO packing instructions (IATA) : 855 CAO max net quantity (IATA) : 30L : A3, A803 Special provisions (IATA) ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C7

Special provisions (ADN) : 274

Limited quantities (ADN) : 1 L

Excepted quantities (ADN) : E2

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C7
Special provisions (RID) : 274
Limited quantities (RID) : 1L
Excepted quantities (RID) : E2
Packing instructions (RID) : P001, IBC02
Mixed packing provisions (RID) : MP15
Portable tank and bulk container instructions (RID) : T11

Portable tank and bulk container special provisions (RID)

Tank codes for RID tanks (RID): L4BNTransport category (RID): 2Colis express (express parcels) (RID): CE6Hazard identification number (RID): 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	Chill-Eze HB LT Part B; MXDA; 4-Nonylphenol; 2,2,4(or 2,4,4)- trimethylhexane-1,6- diamine	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	Chill-Eze HB LT Part B; MXDA; 4-Nonylphenol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains substance(s) listed on the REACH Candidate List in concentrations ≥ 0.1 % or SCL: 4-tert-butylphenol (EC 202-679-0, CAS 98-54-4), 4-Nonylphenol, branched and linear (EC 284-325-5, CAS 84852-15-3)

PIC Regulation (Prior Informed Consent)

Contains substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals): Phenol, 4-nonyl-, branched (84852-15-3)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Council Regulation (EC) for the control of dual-use items

Contains substance subject to the COUNCIL REGULATION (EC) for the control of dual-use items

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:		
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disruptor	

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH071	Corrosive to the respiratory tract.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
H302	Harmful if swallowed.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H361	Suspected of damaging fertility or the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

7/1/2024 (Issue date) GB - en 14/14
Revision: 1.0

TERO TECH Riverside Ind. Estate, Fazeley, Tamworth, Staffordshire B78 3RW. Tel: 01827 283322 Fax: 01827250143

